

# **FOOTWEAR** PROTECTION



**Industrial Protective Products (WA)**  
Supporting Better Products



# Footwear - Protection

## Foot Protection

Foot related injuries are usually thought of mainly as an issue for those who work in hazardous environments such as construction or mining; however other seemingly less dangerous jobs can also give rise to situations where foot injuries can occur. For this reason, there are a wide range of safety boots and boots that are now available, from those providing a basic level of protection, through to those providing specialised protection from risks such as electrical hazards and/or high temperatures.

The Standards set below provide users with guidance and information on recommended practices for the selection, care and use of safety, protective and occupational footwear.

AS/NZS 2210.1:2010 Safety, protective and occupational footwear

### Part 1: **Guide to selection care and use**

This Standard provides information and advice for the recommended practices for the selection, care and use of safety, protective and occupational footwear to be used in a diverse range of wearer environments.

In general, safety, protective and occupational footwear should be worn to reduce injuries to feet resulting from;

- (a) Contact with falling, rolling or cutting objects;
- (b) Penetration through the sole or uppers;
- (c) Friction or pressure blistering;
- (d) Explosions and electrical hazards;
- (e) Contact with chemicals, heat and molten metals;
- (f) Slipping

AS/NZS 2210.2:2009 Occupation protective footwear

### Part 2: **Test methods**

This Standard provides footwear manufacturers and users with the test methods by which footwear used in workplace applications is assessed.

AS/NZS 2210, sections 3, 4 and 5 provide specifications on the performance requirements of footwear and sets three distinct levels based on protection provided.

AS/NZS 2210.3:2009 Occupation protective footwear

### Part 3: **Specification for safety footwear**

This Standard provides the performance requirements of safety footwear. Safety footwear incorporates protective features to protect the wearer from injuries which could arise through accidents. This is the highest level of protection offered to the wearer, and consists of a safety toecap rated to an energy level of 200 Joules of impact resistance and 1500 Newtons of compression force.

AS/NZS 2210.4:2009 Occupation protective footwear

### Part 4: **Specification for protective footwear**

This Standard provides the performance requirements of protective footwear. Protective footwear incorporates protective features to protect the wearer from injuries which could arise through accidents. This is a moderate level of protection offered to the wearer, and consists of a protective toecap rated to an energy level of 100 Joules of impact resistance and 1000 Newtons of compression force.

AS/NZS 2210.5:2009 Occupation protective footwear

### Part 5: **Specification for occupational footwear**

This Standard provides the performance requirements of occupational footwear. Occupational footwear incorporates protective features to protect the wearer from injuries which could arise through accidents. This footwear can be described as a duty boot or work boot without any protective toecap.

## THE STEEL BLUE DIFFERENCE 100% COMFORT GUARANTEED.

### 100% ORIGINAL

We've established a long list of industry 'firsts', pioneering many technological break-throughs. Every step of the way, our innovative attitude sets us apart - that's why we're famous for our leadership and original thinking. Just like the people who wear our boots, we always dare to be different.

### TRISOLE™ COMFORT TECHNOLOGY

All of our boots are made with a patented multi-density shock absorbing sole featuring our Trisole™ Comfort Technology. It's proven that our multi-density soling technology is much more effective in cushioning and absorbing shock than a standard footbed.

### AIRPORT FRIENDLY FOOT WEAR

To move through airports without security hassles, check out our Airport Friendly range of boots. Virtually metal free, they leave metal detectors speechless.

### SEE THE DIFFERENCE FEEL THE DIFFERENCE

The superior comfort and durability of our boots is due to the high quality upper materials we use. The high quality leather is very supple and conforms to the shape of your foot. Even more, the Kevlar® fibre stitching used in many of our boots is incredibly strong.

### 30 DAY MONEY BACK COMFORT GUARANTEE

We guarantee that our boots will reduce fatigue and promote wellbeing throughout your working day. With our unique 30 day money back comfort guarantee, you have absolutely nothing to lose by trying Steel Blue.

### SIX MONTH MANUFACTURER'S WARRANTY

We only use premium manufacturing technology to ensure your work boots are built to last. However, if you do have a manufacturing issue with your footwear (and it has been correctly fitted and maintained) the Six Month Manufacturer's Warranty will ensure your boots are replaced or refunded.

# Footwear - Protection



## CHOOSING FOOTWEAR

### What is 'Fit for Purpose'

Steel Blue produce a wide range of boots, each with their own specific benefits for a different range of jobs and hazards. The Steel Blue catalogues and website split the range into categories for 'What ever game you're in' to help our customers choose from a smaller selection of boots which suit the work that they do.

### Choose the right boots

When choosing boots, you need to consider; the activity, the surface and support requirements. Hard surfaces can cause pain and problems. People who spend a lot of time on hard surfaces such as concrete, are more prone to heel and forefoot pain, and tend to develop more calluses and corns. To reduce this effect on your feet, wear supportive boots (preferably lace-up) with softer soles and innersoles. Arch supports will help distribute weight over a larger surface area so that pressure is not focused on the heel and forefoot.

### What game are you in?

Browse the right boot for your industry

Mining	• Miners are often dealing with wet, slippery, muddy, uneven and rocky ground. So we've designed a range of tough and durable boots specifically for mine sites.
Chemical Oil& Gas	• Every style in this group uses premium hand-selected leather that's resistant to caustic soda, sulphuric acid, oil and water. All styles also feature a Polyurethane (PU) Midsole and Nitrile Outsole heat resistant to 300°C/572°F.
Industrial & COstruction	• These boots are made to work as hard as you do. Designed for comfort and built for safety, each style in this range is for general purpose use. In fact, for most heavy industrial or construction environments, one of these boots has it covered.
Hiker	• Our Hiker range is designed to be functional and comfortable. All of these boots feature extra thick, soft padding with excellentankle support and protection. They're extra helpful on rocky and uneven terrain so they'll handle most worksite surfaces.
Electrical Hazard	• All boots in our electrical range are insulating: For the safest option, please read the descriptions closely. If unsure, ask your IPP9WA) Rep for advice - Electricity is dangerous, always refer to the full product description and warning.
Ladies	• Research has proven that women require a style of boot that is specifically designed for their feet. Our purpose specific Ladiesrange has been designed to cradle, cushion and soothe women's anatomically different feet.
Executives	• 100% Comfort and contemporary good looks -with their steel safety toecap, you can move from the boardroom to the worksitewithout changing your footwear. With their stylish design, you can even wear them after hours.
Lifestyle	• Featuring lightweight upper materials and easy-to-breathe fabrics. So when the going getshot, your feet stay dry and cool, all day, everyday.

## Order Information



Call 08 9330 6355



Industrial Protective Products (WA)  
Supporting Better Products



# Footwear - Protection

In addition to splitting the range by job type, the Australian Standards also provide guidance as to which boot may suit for a range of hazards

Hazard	Marking on Footwear	Steel Blue Styles to choose
Objects falling on or striking Injury to toes	AS/NZS 2210.3 Class 1 or 11 SB, SI, S2, S3, S4, S5	Any Steel Blue style with code beginning 312, 322, 332, 342, 362, 372, 382, 392, 518, 617, 627 or 827
Sharp materials underfoot	AS/NZS 2210.3 Class I or 11 P, S3, S5	Any Steel Blue style with code beginning 372, 392 if a safety toe is also required or 370 or 390 for non-safety toe
Exposure to wet areas	AS/NZS 2210.3 Class 1 or 11 WR, WRU, S2, S3, S4, S5	Any Steel Blue styles except Lifestyle models
Exposure to slippery conditions- steel and tiled	AS/NZS 2210.3 Class I or II SRC	Canberra SR or Coolgardie SR
Exposure to corrosive or irritating substances	No Specific Markings	Heeler, Jarrah, Richmond, Cobar, Warragule or Coolgardie
High temperature surfaces	AS/NZS 2210.3 Class 1 or II HRO	Any Steel Blue style with code beginning 322, 342, 362, 372, 627 or 827
Heel shock	AS/NZS 2210.3 Class I or II E, SI, S2, S3, S4, S5	All Steel Blue styles
Ladder climbing	No Specific Markings	All Steel Blue styles
Static electrical discharges	AS/NZS 2210.3 Class I or II A	All Steel Blue styles EXCEPT codes beginning with 827
Electrical hazards	AS/NZS 2210.3 Class II only I; and Class 'O'	Steel Blue styles beginning with codes 827
Objects rolling or falling onto foot	AS/NZS 2210.3 Class I or II M Steel Blue Argyle Met, Telfer or Mackay	AS/NZS 2210.3 Class I or II M Steel Blue Argyle Met, Telfer or Mackay

## STEEL BLUE TRISOLE™ COMFORT TECHNOLOGY

Steel Blue boots are made with a patented multi-density shock absorbing sole called Trisole™ Comfort Technology. This unique soling system cushions your feet, knees, hips and lower back from normal day-to-day fatigue. It works by strategically placing pads - made of the high-tech material PORON® - in the sole and under the peak stress areas of the foot.

When you wear a pair of Steel Blue boots, you'll experience:

- Reduction of shock forces to the feet, knees, hips and lower back (similar to the feeling of wearing sports shoes)
- Reduced risk of stress-related injury to the feet and lower body
- Greater comfort and overall well being
- Improved flexibility of the sole
- A feeling of wearing lightweight footwear

It's proven that multi-density soling is much more effective in cushioning and absorbing shock than a standard foot bed.

Footwear has an enormous influence on the way feet move yet, so many overlook the importance of a proper well-cushioned shoe. The body uses natural methods to decrease the forces of impact and absorb shock in the lower part of the body. Generally, it is considered that a shoe is required to reduce the forces further.

Steel Blue has been devoted to developing the most comfortable work boots with Trisole Comfort Technology, absorbing more shock and providing cushioning for the feet from day-to-day fatigue.




# Footwear - Protection

## Steel Blue - Blue Boot



**NEW SOUTHERN CROSS.  
EVERY STEP  
HELPS AN  
AUSSIE BLOKE  
GET BETTER.**



With \$10 going to the **Prostate Cancer Foundation of Australia** and **Beyondblue**, every step you take helps Aussie men.

Even more, this boot includes a scalloped collar design, new modern look and extra underfoot comfort.

### NEW Steel Blue Southern Cross

**FW SB 322360** - Sizes 4 to 14 - 6.5 - 12.5 Colours Black, Wheat or Blue

Description: 150mm lace-up ankle boot with padded collar and tongue.

- Upper Materials: Cowhide water-resistant Nubuck leather and stitched in Nylon thread. Non-Corrosive Lacing.

Toe Cap: 200J Safety Steel.

Lining Materials: This boot is lined with Baltico®, which is a soft, non-abrasive, hydrophobic material that wicks perspiration away from the foot, enabling the skin to remain cool and dry.

Full Innersole: A full length footbed that is inserted into the footwear to offer additional support and comfort. This footbed is made from soft polyurethane that will retain its shape and thickness throughout the life of the boot.

Insole: Heavy-duty, flexible anti-bacterial full length PORON® /non-woven insole.

Midsole: Directly moulded Polyurethane midsole for greater shock absorption. Outsole: Oil and acid resistant nitrile rubber outsole, which is heat resistant to 300oC (572oF).

Trisole™ Comfort Technology Soling System: The Steel Blue soling system is a patented three density soling system that offers a high level of comfort, shock absorbency and energy return. The system uses PORON® an energy absorbing insole under the foot to give the wearer superior comfort and offers similar shock absorbency and comfort to sports footwear.

- Standards - Australian Standards AS/NZS 2210. 3 classification - 1 A E WRU.

#### Also Available in

**FW SB 332360** TPU/Bump Cap

**FW SB 342360** Nitrile/Bump Cap

**FW SB 362360** TPU/Bump Cap/PR

**FW SB 372360** Nitrile/PR Midsole

**FW SB 392360** TPU/PR Midsole

**FW SB 312860** Metatarsal Guard

**FW SB 382360** Nitrile/Bump Cap/PR Midsole



Industrial Protective Products (WA)  
Supporting Better Products



# Footwear - Protection

## Steel Blue - Industrial



### Steel Blue™ ARgyle Zip

**FW SB 312152** - Sizes 3 to 14 - Colour Black and Wheat

150mm derby style lace-up zip sided ankle boot with padded collar and tongue.

- Toe Cap - 200J Safety Steel.
- Material - Cowhide water-resistant fullgrain waxy leather, Superknit® linings and stitched in nylon thread. Non-Corrosive Lacing.
- Sole - Directly moulded Polyurethane midsole for greater shock absorption. Antistatic Thermoplastic Urethane (TPU) outsole for superior wear properties.
- Width Fitting - EEE.
- Standards - Australian Standards AS/NZS 2210. 3 classification - 1 A E WRU
- Insole - Heavy-duty, flexible anti-bacterial non-woven insole.

#### Also Available

**FW SB 322** Nitrile Outsole

**FW SB 332** TPU/Bump Cap

**FW SB 342** Nitrile/Bump Cap



### Steel Blue Argyle Met Zip

**FW SB 382852** - Sizes 3 to 11 - Colour Black,

50mm derby style lace-up zip sided ankle boot with padded collar and tongue.

- Toe Cap - 200J Safety Steel.
- Material - Cowhide water-resistant fullgrain waxy leather, Superknit® linings and stitched in nylon thread. Non-Corrosive Lacing.
- Metatarsal Guard - Flexible internal Metatarsal protecting the arch and forefoot.

• Width Fitting - EEE.

• Standards - Australian Standards AS/NZS 2210. 3 classification - 1 A E WRU



### Steel Blue™ Argyle

**FW SB 312102** - Black, Whiskey, Wheat Nubuck (pictured) or Purple. 150mm derby style lace-up ankle boot with padded collar and tongue.

Sizes 3, 4, 5-13.5 (includes half sizes) plus 14, 15 & 16 (Please note: sizes 15 & 16 available in 322 Nitrile Outsole Black only; surcharge applies).

Special Features 200J Steel Toecap, 3/4 bellows tongue.

Materials Premium water resistant fullgrain waxy (or Nubuck) leather, Baltico® linings and stitched with nylon thread. PU Midsole, Anti-Static.

• Sole - Directly moulded Polyurethane midsole for greater shock absorption. Antistatic Thermoplastic Urethane (TPU) outsole for superior wear properties.

Width Fitting - EEE.

• Standards - Australian Standards AS/NZS 2210. 3 classification - 1 A E WRU

• Insole - Heavy-duty, flexible anti-bacterial non-woven insole.

#### Available Options

**FW SB 322102** Nitrile Outsole

**FW SB 332102** TPU/Bump Cap

**FW SB 342102** Nitrile/Bump Cap

**FW SB 362102** TPU/Bump Cap/PR

**FW SB 372102** Nitrile/PR Midsole

**FW SB 392102** TPU/PR Midsole

**FW SB 312802** Metatarsal Guard

**FW SB 382102** Nitrile/Bump Cap/PR Midsole





# Footwear - Protection

## Steel Blue - Industrial



### Steel Blue Portland

**FW SB 312104** - Sizes 3 to 14 - Colours Black, Whiskey or Wheat

170mm derby style lace-up high leg boot with padded collar and tongue. Now with NEW lace lock system.

- Toe Cap - 200J Safety Steel.
- Material - Cowhide water-resistant fullgrain waxy (or Nubuck) leather, Baltico® linings and stitched in nylon thread. Non-Corrosive Lacing.
- Lining Materials - This boot is lined with Baltico®, which is a soft, non-abrasive, hydrophobic material that wicks perspiration away from the foot, enabling the skin to remain cool and dry.
- Sole - Directly moulded Polyurethane midsole for greater shock absorption. Antistatic Thermoplastic Urethane (TPU) outsole for superior wear properties.
- Width Fitting - Generous and comfortable.
- Insole - Heavy-duty, flexible anti-bacterial non-woven insole.
- Standards - Australian Standards AS/NZS 2210. 3 classification - 1 A E WRU.

Also Available

**FW SB 322102** Nitrile Outsole

**FW SB 332102** TPU/Bump Cap

**FW SB 342102** Nitrile/Bump Cap

**FW SB 362102** TPU/Bump Cap/PR

**FW SB 372102** Nitrile/PR Midsole

**FW SB 392102** TPU/PR Midsole

**FW SB 312802** Metatarsal Guard

**FW SB 382102** Nitrile/Bump Cap/PR Midsole

### Steel Blue Collie

**FW SB 322099** - Sizes 3 to 14 - Colour Whiskey and Wheat 210mm High-leg, zip-sided boot with laces and padded rear collar.

- Toe Cap - 200J Safety Steel.
- Material - Cowhide water-resistant fullgrain leather and stitched in Kevlar® thread. Non-Corrosive Lacing.
- Sole - Directly moulded Polyurethane midsole for greater shock absorption. Oil and acid resistant nitrile rubber sole, which is also heat resistant to 300oC (570oF).
- Width Fitting - Generous and comfortable.
- Standards - Australian Standards AS/NZS 2210. 5 classification - 1 A E WRU

Also Available

**FW SB 322102** Nitrile Outsole

**FW SB 332102** TPU/Bump Cap

**FW SB 342102** Nitrile/Bump Cap

**FW SB 362102** TPU/Bump Cap/PR

**FW SB 372102** Nitrile/PR Midsole

**FW SB 392102** TPU/PR Midsole

**FW SB 312802** Metatarsal Guard

**FW SB 382102** Nitrile/Bump Cap/PR Midsole

### Order Information



Call 08 9330 6355



Industrial Protective Products (WA)  
Supporting Better Products



# Footwear - Protection

## Steel Blue - Industrial



### Steel Blue Bunderberg

**FW SB 312210** - Sizes 3 to 14 - colour Charcoal  
Hiker style shoe with padded collar and tongue.

- Toe Cap - 200J Safety Steel
- Material - Water-resistant Suede leather, Superknit® linings and stitched in nylon thread. Non-Corrosive Lacing.
- Width Fitting - EEE.
- Standards - Australian Standards AS/NZS 2210. 3 classification - 1 A E WRU

#### Also Available

**FW SB 322110** Nitrile Outsole  
**FW SB 332110** TPU/Bump Cap  
**FW SB 342110** Nitrile/Bump Cap  
**FW SB 362110** TPU/Bump Cap/PR  
**FW SB 372110** Nitrile/PR Midsole  
**FW SB 392110** TPU/PR Midsole  
**FW SB 382110** Nitrile/Bump Cap/PR Midsole



### Steel Blue Wagga

**FW SB 312207** - Sizes 3 to 14 - colour Charcoal  
110mm Hiker style lace-up ankle boot with padded collar and tongue.

- Toe Cap - 200J Safety Steel
- Material - Water-resistant Suede leather, Superknit® linings and stitched in nylon thread. Non-Corrosive Lacing.
- Width Fitting - EEE.
- Standards - Australian Standards AS/NZS 2210. 3 classification - 1 A E WRU

#### Also Available

**FW SB 322107** Nitrile Outsole  
**FW SB 332107** TPU/Bump Cap  
**FW SB 342107** Nitrile/Bump Cap  
**FW SB 362107** TPU/Bump Cap/PR  
**FW SB 372107** Nitrile/PR Midsole  
**FW SB 392107** TPU/PR Midsole  
**FW SB 382107** Nitrile/Bump Cap/PR Midsole



### Steel Blue Riverina

**FW SB 312140** - Sizes 3 to 14 - colour Wheat, Black, Winter Brown  
110mm Hiker style lace-up ankle boot with padded collar and tongue.

- Toe Cap - 200J Safety Steel
- Material - Water-resistant Suede leather, Superknit® linings and stitched in nylon thread. Non-Corrosive Lacing.
- Width Fitting - EEE.
- Standards - Australian Standards AS/NZS 2210. 3 classification - 1 A E WRU

#### Also Available

**FW SB 322140** Nitrile Outsole  
**FW SB 332140** TPU/Bump Cap  
**FW SB 342140** Nitrile/Bump Cap  
**FW SB 362140** TPU/Bump Cap/PR  
**FW SB 372140** Nitrile/PR Midsole  
**FW SB 392140** TPU/PR Midsole  
**FW SB 382140** Nitrile/Bump Cap/PR Midsole



### Steel Blue Whyalla

**FW SB 312108** - Sizes 3 to 14 - Colour Black  
100mm Hiker style lace-up ankle boot with padded collar and tongue.

- Toe Cap - 200J Safety Steel.
- Material - Cowhide water-resistant fullgrain waxy leather, Superknit® linings and stitched in nylon thread. Non-Corrosive Lacing.
- Width Fitting - EEE.
- Standards - Australian Standards AS/NZS 2210. 3 classification - 1 A E WRU.

#### Also Available

**FW SB 322108** Nitrile Outsole  
**FW SB 332108** TPU/Bump Cap  
**FW SB 342108** Nitrile/Bump Cap  
**FW SB 362108** TPU/Bump Cap/PR  
**FW SB 372108** Nitrile/PR Midsole  
**FW SB 392108** TPU/PR Midsole  
**FW SB 382108** Nitrile/Bump Cap/PR Midsole



### Steel Blue Bronco

**FW SB 312208** - Sizes 3 to 14 - colour Wheat  
195mm Hiker style lace-up ankle boot with padded collar and tongue.

- Toe Cap - 200J Safety Steel
- Material - Premium water resistant Nubuck leather, Baltico® linings and stitched with nylon thread. PU Midsole, Anti-Static TPU Outsole as standard
- Width Fitting - EEE.
- Standards - Australian Standards AS/NZS 2210. 3 classification - 1 A E WRU

#### Also Available

**FW SB 322208** Nitrile Outsole  
**FW SB 332208** TPU/Bump Cap  
**FW SB 342208** Nitrile/Bump Cap  
**FW SB 362208** TPU/Bump Cap/PR  
**FW SB 372208** Nitrile/PR Midsole  
**FW SB 392208** TPU/PR Midsole  
**FW SB 382208** Nitrile/Bump Cap/PR Midsole



### Steel Blue Hobart

**FW SB 312101** - Sizes 3 to 14 - Colour Black, Winter Brown or Wheat. 145mm Ankle-height elastic-sided pull-on boot.

- Toe Cap - 200J Safety Steel.
- Material - Cowhide water-resistant fullgrain waxy (or Nubuck) leather and stitched in nylon thread.
- PU midsole for greater shock absorption. Antistatic (TPU) outsole
- Width Fitting - EEE
- Standards - Australian Standards AS/NZS 2210. 3 classification - 1 A E WRU

#### Also Available

**FW SB 322101** Nitrile Outsole  
**FW SB 332101** TPU/Bump Cap  
**FW SB 342101** Nitrile/Bump Cap  
**FW SB 362101** TPU/Bump Cap/PR  
**FW SB 372101** Nitrile/PR Midsole  
**FW SB 392101** TPU/PR Midsole  
**FW SB 382101** Nitrile/Bump Cap/PR Midsole



# Footwear - Protection

## Steel Blue - Shoes



### Steel Blue Eucla

**FW SB 312126** - Black Only

Size 3, 4, 5-13.5 (includes half sizes) plus 14

- Toe Cap - 200J Safety Steel.

Derby style lace-up shoe with padded collar

Premium water resistant fullgrain waxy leather, Cambrelle® linings and stitched with nylon thread. PU Midsole, Anti-Static TPU Outsole as standard.

- Standards - Australian Standards AS/ NZS 2210. 3 classification: 1 A E WRU

**FW SB 322126** Nitrile Outsole

**FW SB 332126** TPU/Bump Cap

**FW SB 342126** Nitrile/Bump Cap

**FW SB 362126** TPU/Bump Cap/PR

**FW SB 372126** Nitrile/PR Midsole

**FW SB 392126** TPU/PR Midsole

**FW SB 382126** Nitrile/Bump Cap/PR Midsole



### Steel Blue Bussleton

**FW SB 316110** - Sizes 3 to 14 - Colour - Black

Derby Style Executive lace-up shoe with padded collar

200J Safety Steel Toecap. And a 3 density soling system that offers a high level of comfort, shock absorbency and energy return.

The system uses energy absorbing PORON® pads under the pressure points of the foot

Cowhide water-resistant full grain premium leather, quarter and tongue leather lining and stitched with nylon thread. Directly moulded Polyurethane midsole for greater shock absorption. Anti-Static TPU outsole for superior wear properties

- Width Fitting - EEE.

- Standards - Australian Standards AS/ NZS 2210. 3 classification: 1 A E WRU



### Steel Blue Manly

**FW SB 512702** - Sizes 3 to 11 - Colour Black, Wheat and Purple

Ladies, lace-up ankle boot.

200J Safety Steel Toecap. And a 3 density soling system that offers a high level of comfort, shock absorbency and energy return.

The system uses energy absorbing PORON® pads under the pressure points of the foot

- Material Cowhide water-resistant full grain premium leather, quarter and tongue leather lining and stitched with nylon thread. Directly moulded Polyurethane midsole for greater shock absorption. Anti-Static TPU outsole for superior wear properties

- Width Fitting - EEE.

- Standards - Australian Standards AS/ NZS 2210. 3 classification - 1 A E WRU

## Order Information



Call 08 9330 6355



Industrial Protective Products (WA)  
Supporting Better Products



# Footwear - Protection

## Steel Blue - Speciality



### Steel Blue Jarrah

**FW SB 322313**- Sizes 3 to 14 - Colour - Redwood

170mm derby style, lace-up, high-leg boot with padded collar and bellows tongue.

200J Steel Toecap, Chemical Resistant.

- Material - Cowhide water, chemical and oil resistant fullgrain waxy leather. Cambrelle® linings and stitched in Kevlar thread. Non Corrosive lacing.
- Lining Materials - This boot is lined with Cambrelle®, which is a soft, non-abrasive, hydrophobic material that wicks perspiration away from the foot, enabling the skin to remain cool and dry.
- Sole - Directly moulded Polyurethane midsole for greater shock absorption, oil and acid resistant nitrile rubber outsole, which is also heat resistant to 300oC (572oF).
- Width Fitting - EEE.
- Standards - Australian Standards AS/NZS 2210. 3 classification - 1 A E WRU .

#### Also Available

- FW SB 322313** Nitrile Outsole
- FW SB 332313** TPU/Bump Cap
- FW SB 342313** Nitrile/Bump Cap
- FW SB 362313** TPU/Bump Cap/PR
- FW SB 372313** Nitrile/PR Midsole
- FW SB 392313** TPU/PR Midsole
- FW SB 312813** Metatarsal Guard
- FW SB 382313** Nitrile/Bump Cap/PR Midsole



### Steel Blue Heeler

**FW SB 322315** - Sizes 3 to 14 - Colour Redwood

250mm calf-height, pull-on boot.

200J Steel Toecap, Chemical Resistant.

- Material - Cowhide water, chemical and oil resistant full-grain waxy leather. Cambrelle® linings and stitched with nylon thread.
- Lining Materials - This boot is lined with Cambrelle®, which is a soft, non-abrasive, hydrophobic material that wicks perspiration away from the foot, enabling the skin to remain cool and dry.
- Sole - Directly moulded Polyurethane midsole for greater shock absorption. Oil and acid resistant nitrile rubber sole, which is also heat resistant to 300oC (570oF).
- Width Fitting - Generous and comfortable.
- Standards - Australian Standards AS/ NZS 2210. 3 classification - 1 A E

#### Also Available

- FW SB 322315** Nitrile Outsole
- FW SB 332315** TPU/Bump Cap
- FW SB 342315** Nitrile/Bump Cap
- FW SB 362315** TPU/Bump Cap/PR
- FW SB 372315** Nitrile/PR Midsole
- FW SB 392315** TPU/PR Midsole
- FW SB 382313** Nitrile/Bump Cap/PR Midsole



### Steel Blue Cobar

**FW SB 322301** - 3, 4, 5-13.5 (includes half sizes) plus 14

145mm ankle length elastic-sided boot.

200J Steel Toecap, Chemical Resistant.

- Chemical and water resistant leather, stitched with Kevlar® thread. PU Midsole, Anti-Static Nitrile Outsole as standard
- Sole - Directly moulded Polyurethane midsole for greater shock absorption. Oil and acid resistant nitrile rubber sole, which is also heat resistant to 300oC (570oF).
- Width Fitting - Generous and comfortable.
- Standards - Australian Standards AS/ NZS 2210. 5 classification - 1 A E WRU

#### Also Available

- FW SB 322301** Nitrile Outsole
- FW SB 332301** TPU/Bump Cap
- FW SB 342301** Nitrile/Bump Cap
- FW SB 362301** TPU/Bump Cap/PR
- FW SB 372301** Nitrile/PR Midsole
- FW SB 392301** TPU/PR Midsole
- FW SB 382301** Nitrile/Bump Cap/PR Midsole



### Steel Blue Warragul

**FW SB 322309** - Sizes 3 to 14 - Colour - Redwood, 150mm galosh style lace-up ankle boot with padded collar and bellows tongue. 200J Steel Toecap, Chemical Resistant.

- Material - Cowhide water, chemical and oil resistant fullgrain waxy leather. Cambrelle® linings and stitched in Kevlar thread. Non Corrosive lacing.
- Lining Materials - This boot is lined with Cambrelle®, which is a soft, non-abrasive, hydrophobic material that wicks perspiration away from the foot, enabling the skin to remain cool and dry.
- Sole - Directly moulded Polyurethane midsole for greater shock absorption, oil and acid resistant nitrile rubber outsole, which is also heat resistant to 300oC (572oF).
- Width Fitting - EEE.
- Standards - Australian Standards AS/ NZS 2210. 3 classification - 1 A E WRU
- Insole - Heavy-duty, flexible anti-bacterial non-woven insole.

#### Also Available

- FW SB 322102** Nitrile Outsole
- FW SB 332102** TPU/Bump Cap
- FW SB 342102** Nitrile/Bump Cap
- FW SB 362102** TPU/Bump Cap/PR
- FW SB 372102** Nitrile/PR Midsole
- FW SB 392102** TPU/PR Midsole
- FW SB 312802** Metatarsal Guard
- FW SB 382102** Nitrile/Bump Cap/PR Midsole

# Footwear - Protection

## Steel Blue - Speciality



### Steel Blue Telfer

**FW SB 382833** - Sizes 3 to 14 -  
Colour Black

350 mm calf high galosh style waterproof underground mining boot featuring a quick-zip lace system, padded collar and Bump Cap.

- Width Fitting - EEE.
- Toe Cap - 200 Joule Steel.
- Material - Cowhide waterproof full-grain leather and stitched in abrasion resistant thread. High performance, waterproof lining.
- Lining Materials - This boot is lined with Outlast®, which is a soft, heat regulating, non-abrasive, hydrophobic material that wicks perspiration away from the foot, enabling the skin to remain cool and dry.
- Metatarsal Guard - Flexible internal Metatarsal Guard protecting the arch and forefoot.
- Insole - Heavy-duty, flexible anti-bacterial, Penetration Resistant.
- Sole - Directly moulded Polyurethane midsole for greater shock absorption. Oil and acid resistant nitrile rubber outsole, which is also heat resistant to 300oC (570oF).
- Standards - Aus - AS/NZS 2210.3 Classification - 1 A E WRU P M.



### Steel Blue Mackay

**FW SB 382835** - Sizes 3 to 14 -  
Colour Black

370 mm calf high galosh style waterproof underground mining boot, padded collar and bump cap.

- Width Fitting - EEE.
- Toe Cap - 200J Safety Steel.
- Material - Cowhide water proof fullgrain leather and stitched in abrasion resistant thread. High performance, water proof lining.
- Lining Materials - This boot is lined with Outlast®, which is a soft, heat regulated, nonabrasive, hydrophobic material that wicks perspiration away from the foot, enabling the skin to remain cool and dry.
- Metatarsal Guard - Flexible internal Metatarsal protecting the arch and forefoot.
- Insole - Heavy-duty, flexible anti-bacterial, Penetration Resistant Midsole.
- Sole - Directly moulded Polyurethane midsole for greater shock absorption, oil and acid resistant nitrile rubber outsole, which is also heat resistant to 300oC (570oF).
- Standards - Australian Standards AS/ NZS 2210. 3 classification - 1 A E WRU P M

### Order Information



Call 08 9330 6355



Industrial Protective Products (WA)  
Supporting Better Products



# Footwear - Protection

## Steel Blue - First Responder



### NEW Steel Blue COMmander Response Range

**FW SB 320251** - A popular choice for Police Officers, Emergency Services and Security Guards.  
Sizes: 6 - 14 (6.5 - 13.5 includes half sizes)

Description: 190mm high-leg lace and zip-up ankle boot with padded collar and tongue.

#### • MATERIAL

Pathogen Resistant Leather: To protect you from nasty pathogens, Response Boots are made with specially treated leather. With its anti-bacterial and anti-fungal properties, HealthGuard™ helps prevent the transfer of disease-carrying bacteria, keeping you and your family safe. When you're wearing Response Boots, you can go where others fear to tread.

#### LINING MATERIAL:

Agion® Linings: The special technology in the lining of Response Boots stops bacteria (like mould and mildew) from multiplying in the corners and crevices inside your boots. The customised coating affects the microbes respiration and reproduction and so disrupts their basic metabolism. By resisting the growth of this horrible bacteria, your feet stay healthier and smell better.

#### FULL INNER SOLE:

A full length footbed that is inserted into the footwear to offer additional support and comfort. This footbed is made from soft polyurethane that will retain its shape and thickness throughout the life of the boot.

#### SOLE:

Directly moulded Polyurethane midsole for greater shock absorption. Anti-Static Nitrile Rubber outsole for superior wear properties.

#### INSOLE:

Heavy-duty, flexible anti-bacterial non-woven and poron insole, with additional poron heel pad.



### NEW Steel Blue Enforcer Response Range

**FW SB 320250** - A popular choice for Police Officers, Emergency Services and Security Guards.  
Sizes: 6 - 14 (6.5 - 13.5 includes half sizes)

Description: 150mm lace-up ankle boot with padded collar and tongue.

#### • MATERIAL

Pathogen Resistant Leather: To protect you from nasty pathogens, Response Boots are made with specially treated leather. With its anti-bacterial and anti-fungal properties, HealthGuard™ helps prevent the transfer of disease-carrying bacteria, keeping you and your family safe. When you're wearing Response Boots, you can go where others fear to tread.

#### LINING MATERIAL:

Agion® Linings: The special technology in the lining of Response Boots stops bacteria (like mould and mildew) from multiplying in the corners and crevices inside your boots. The customised coating affects the microbes respiration and reproduction and so disrupts their basic metabolism. By resisting the growth of this horrible bacteria, your feet stay healthier and smell better.

#### FULL INNER SOLE:

A full length footbed that is inserted into the footwear to offer additional support and comfort. This footbed is made from soft polyurethane that will retain its shape and thickness throughout the life of the boot.

#### SOLE:

Directly moulded Polyurethane midsole for greater shock absorption. Anti-Static Nitrile Rubber outsole for superior wear properties.

#### INSOLE:

Heavy-duty, flexible anti-bacterial non-woven and poron insole, with additional poron heel pad.

# Footwear - Protection



**STEEL  
BLUE**  
100% COMFORT



## STEEL TOECAP VERSUS COMPOSITE TOECAP

### STEEL TOECAP.

Weight: 108 grams

✓ Pass AS/NZS 2210.3 Standard

Good:

- ✓ Cut resistance to power saw
- ✓ Puncture resistance to nail gun

Poor:

- ✗ Insulation of toe (heat)
- ✗ Insulation of toe (cold)
- ✗ Rebound after vertical & roll compression

When exposed, can become an ignition hazard

### COMPOSITE TOECAP.

Weight: 60 grams

✓ Pass AS/NZS 2210.3 Standard

Good:

- ✓ Insulation of toe (heat)
- ✓ Insulation of toe (cold)
- ✓ Rebound after vertical & roll compression

Poor:

- ✗ Cut resistance to power saw
- ✗ Puncture resistance to nail gun

Non-Conductive

Metal Detector Friendly

Can be X-Rayed

Protection against Spark Ignition

Wider profile (wide fitting)



Industrial Protective Products (WA)  
Supporting Better Products





# Footwear - Protection

## Steel Blue - HIPA Series



### Steel Blue EH Series - Torquay

**FW SB 827539** - Sizes 3 -14 - Colour Black Torquay

150mm derby style Zip and lace up ankle boot with padded collar and tongue and Mako toe guard.

- Toe Cap - 200J Airport Friendly Toecap.
- Material - Premium water resistant fullgrain waxy leather with Fuchsia® linings. EH PU Midsole, Electrical Hazard Nitrile Outsole as standard.
- Temperature Regulating Technology - Developed for NASA, the patented Outlast® lining material in these boots is cutting edge technology. Helping you stay warm when its cold, and helping cool the skin when its hot, it adapts to your thermal needs and helps your feet stay healthy.
- Width Fitting - Generous and comfortable.
- Standards - Australian Standards AS/NZS 2210. 3 classification - 1 E WRU HRO.
- Sole - Directly moulded Polyurethane midsole for greater shock absorption, oil and acid resistant Electrical Hazard nitrile rubber outsole, which is also heat resistant to 300oC (572oF). Our non-conductive footwear is designed to reduce the hazards due to accidental contact with live electrical circuits, electrically energized conductors or parts of apparatus up to 600 volts (AC). These Steel Blue shoes are clearly marked and have a distinct yellow colour plug in the rubber sole. This footwear is not suitable where anti-static properties are needed.
- Note - EH Series footwear is intended for use as secondary protective personal equipment, to be used in conjunction with primary protective equipment, in areas and environments where there is a need to reduce the risk of electric shock due to accidental contact with live electric wires.
- EH Series - Electric Shock Resistant - 14000 volts for 1 minute in dry conditions, leakage current of less than 3 milliamperes. Meets requirements for American Standard ASTM F 2413 - EH. Warning - Electrical shock resistance deteriorates rapidly in a wet environment and with wear.

### Steel Blue™ Torquay HIPA Series

**FW SB 617539** - Sizes 3 to 14 - Colour - Black - Wheat

150mm derby style Zip and lace up ankle boot with padded collar and tongue and Mako toe guard. Oil and Gas special.

- Toe Cap - 200J Airport Friendly Toecap.
- Material - Cowhide water-resistant fullgrain leather, Outlast® linings and stitched in nylon thread. Non-corrosive lacing. Abrasion resistant Mako toeguard.
- Standards - Australian Standards AS/NZS 2210. 3 classification: 1 A E WRU
- Temperature Regulating Technology - Developed for NASA, the patented Outlast lining material in these boots is cutting edge technology. Helping you stay warm when its cold, drawing heat away and helping cool the skin when its hot it adapts to your needs and helps your feet stay healthy.

### Steel Blue™ Canberra

**FW SB 617512** - Sizes 3 to 14 - Colour - Black and Wheat

145mm derby style lace-up ankle boot with padded collar and tongue and Mako toe guard. (FW SB 617512)

- Material - Cowhide water-resistant fullgrain leather (or Nubuck), Outlast® linings and stitched in nylon thread. Non-Corrosive Lacing. Abrasion Resistant MAKO toeguard.
- Toe Cap - 200J Safety Metal-Free
- Standards - Australian Standards AS/NZS 2210. 3 classification: 1 A E WRU
- Temperature Regulating Technology - Developed for NASA, the patented Outlast lining material in these boots is cutting edge technology. Helping you stay warm when its cold, drawing heat away and helping cool the skin when its hot it adapts to your needs and helps your feet stay healthy.





# Footwear - Protection

## Steel Blue - HIPA Series



### Steel Blue Tindall

FW SB 617561 - Size 3 to 14 Black

Description: 170mm Derby style zip and lace-up ankle boot with padded collar, tongue and Mako toe guard

- Toe Cap - 200J Safety Metal-Free
- Temperature Regulating Technology - Developed for NASA, the patented Outlast® lining material in these boots is cutting edge technology. Helping you stay warm when its cold, and helping cool the skin when its hot, it adapts to your thermal needs and helps your feet stay healthy.
- Width Fitting - EEE.
- Standards - Australian Standards AS/NZS 2210. 3 classification - 1 A E WRU
- Insole - Heavy-duty, flexible anti-bacterial non-woven insole.



### Steel Blue Townsville

**FW SB 612138** - Sizes 3 to 14 - colour Black

110mm Hiker style lace-up ankle boot with padded collar and tongue.

- Toe Cap - 200J Airport Friendly Toe Cap
- Material - Premium water resistant Nubuck leather, Baltico® linings and stitched with nylon thread. PU Midsole, Anti-Static TPU Outsole as standard
- Width Fitting - EEE.
- Standards - Australian Standards AS/ NZS 2210. 3 classification - 1 A E WRU



### Steel Blue Macquarie

**FW SB 617106** - Black Only

Size 3, 4, 5-13.5 (includes half sizes) plus 14

- Toe Cap - 200J Safety Metal-Free

Derby style lace-up shoe with padded collar

200J Airport Friendly Toecap

Premium water resistant fullgrain waxy leather with Fuchsia® lining. PU Midsole, Anti-Static TPU Outsole as standard.

- Standards - Australian Standards AS/ NZS 2210. 3 classification: 1 A E WRU



### Steel Blue Adelaide

**FW SB 311400** - Sizes 3-13 including Half Sizes

Black with Silver Trim.

200J Airport Friendly Toecap

Sports style lace-up ankle shoe with padded collar.

Microfibre and mesh upper materials, PU footbed, Anti-Static TPU outsole as standard, Baltico® linings

- Standards - Australian Standards AS/ NZS 2210. 3 classification: 1 A E WRU



### Steel Blue Darwin

**FW SB 311401** - Sizes 3-13 including Half Sizes

Black with Silver Trim.

200J Airport Friendly Toecap

Sports style, lace up ankle-boot with padded collar. A popular choice for Courier Drivers, Warehouse Workers and Stadium Crew.

Microfibre and mesh upper materials, PU footbed, Anti-Static TPU outsole as standard, Baltico® linings

- Standards - Australian Standards AS/ NZS 2210. 3 classification: 1 A E WRU

## Order Information



**Call 08 9330 6355**



Industrial Protective Products (WA)  
Supporting Better Products



# Footwear - Protection

## Steel Blue - Ladies

### Ladies

Research has proven that women require a style of boot that is specifically designed for their feet.

Quite simply, women's feet are anatomically different to men's feet. That's why we've created the stylish contours of the Ladies range. Now there's less chance of foot health problems after long hours on your feet. As tough and durable as all Steel Blue boots, our Ladies range has been designed to cradle, cushion and soothe your feet all day long. And they look great, with stylish lilac-colour accents.



#### NEW Steel Blue Southern Cross with ZIP Ladies

**FW SB 522761SD - Sand** 150mm lace-up with Zip Ladies ankle boot with padded collar and tongue. Sizes 4-11 including Half Sizes (5.5-10.5)

A popular choice for Mining, Construction, Road Workers or anyone wanting a colourful pair of boots!

- Toe Cap - 200J Safety steel.

#### MATERIAL

Cowhide water-resistant Nubuck leather and stitched in Nylon thread. Non-Corrosive Lacing.

#### LINING MATERIAL:

This boot is lined with Baltico®, which is a soft, non-abrasive, hydrophobic material that wicks perspiration away from the foot, enabling the skin to remain cool and dry.

#### FULL INNER SOLE:

A full length footbed that is inserted into the footwear to offer additional support and comfort. This footbed is made from soft polyurethane that will retain its shape and thickness throughout the life of the boot.

#### SOLE:

Oil and acid resistant nitrile rubber outsole, which is heat resistant to 300°C (572°F)

#### INSOLE:

Heavy-duty, flexible anti-bacterial full length PORON® /non-woven insole.

- Standards - Australian Standards AS/NZS 2210. 3 classification - 1 A E WRU



#### NEW Steel Blue Southern Cross Ladies

**FW SB 522760PK - Pink** 150mm lace-up Ladies ankle boot with padded collar and tongue. Sizes 4-11 including Half Sizes (5.5-10.5)

**FW SB 522760PU - Purple** 150mm lace-up Ladies ankle boot with padded collar and tongue. Sizes 4-11 including Half Sizes (5.5-10.5)

A popular choice for Mining, Construction, Road Workers or anyone wanting a colourful pair of boots!

- Toe Cap - 200J Safety steel.

#### MATERIAL

Cowhide water-resistant Nubuck leather and stitched in Nylon thread. Non-Corrosive Lacing.

#### LINING MATERIAL:

This boot is lined with Baltico®, which is a soft, non-abrasive, hydrophobic material that wicks perspiration away from the foot, enabling the skin to remain cool and dry.

#### FULL INNER SOLE:

A full length footbed that is inserted into the footwear to offer additional support and comfort. This footbed is made from soft polyurethane that will retain its shape and thickness throughout the life of the boot.

#### SOLE:

Oil and acid resistant nitrile rubber outsole, which is heat resistant to 300°C (572°F)

#### INSOLE:

Heavy-duty, flexible anti-bacterial full length PORON® /non-woven insole.

- Standards - Australian Standards AS/NZS 2210. 3 classification - 1 A E WRU

# Footwear - Protection

## Steel Blue - Ladies



### Steel Blue Argyle Ladies

**FW SB 512702** - Sizes 3 to 11 - Colour Black, Wheat and Purple

Ladies, lace-up ankle boot.

- Toe Cap - 200J Safety steel.
- Material - Cowhide water-resistant fullgrain waxy leather Lined with Opulex™ a flexible synthetic fabric that provides enhanced breathability and wicks perspiration away from the foot. Opulex also contains a permanent anti-microbial finish that prevents growth of mildew fungus, rot and odour. Non-corrosive lacing.
- Sole - Directly moulded Polyurethane midsole for greater shock absorption. Antistatic Thermoplastic Urethane (TPU) outsole for superior wear properties.
- Insole - Heavy-duty, flexible anti-bacterial non-woven insole.
- Width Fitting - Medium Fit / E.
- Standards - Australian Standards AS/NZS 2210. 3 classification - 1 A E WRU



### Steel Blue Hobart Ladies

**FW SB 512701** - Sizes 3 to 11 - Colour Black

Ladies, elastic sided boot.

- Toe Cap - 200J Safety steel.
- Material - Cowhide water-resistant Fullgrain waxy leather.
- Sole - Directly moulded Polyurethane midsole for greater shock absorption. Antistatic Thermoplastic Urethane (TPU) outsole for superior wear properties.
- Insole - Heavy-duty, flexible anti-bacterial non-woven insole.
- Width Fitting - Medium Fit / E.
- Standards - Australian Standards AS/NZS 2210. 3 classification - 1 A E WRU

### Steel Blue Eucla Ladies

**FW SB 512726** - Sizes 4-11 including Half Sizes

Derby style lace-up shoe with padded collar

- Toe Cap - 200J Safety steel.

Premium water resistant fullgrain waxy leather, Cambrelle® linings and stitched with nylon thread. PU Midsole, Anti-Static TPU Outsole as standard.

A popular choice for Hospitality Workers, Warehouse Workers and Executives.

- Standards - Australian Standards AS/NZS 2210. 3 classification - 1 A E WRU

### Order Information



**Call 08 9330 6355**



Industrial Protective Products (WA)  
Supporting Better Products



# Footwear - Protection

## Oliver Footwear



### COMFORT TECHNOLOGY


#### NANOlite Technology

The Oliver Comfort System now has a unique **NANOlite** footbed for greater comfort and well-being. The gently raised surface of the sole massages your feet as you walk, promoting greater blood flow to help reduce fatigue. Plus, a perforated foam air control layer enhances air circulation, reducing odour.




#### COMFORTcushion Impact Absorption System

Oliver's unique **COMFORTcushion** uses a combination of cellular urethane and **PORON** performance cushioning to protect the heel and ball of the foot, providing superior cushioning and shock absorption at the heel. This constant impact absorption helps reduce foot, leg and lower back fatigue.



#### NATUREform Type 1 Toe Cap

Oliver **NATUREform** toe caps have a wide profile shape to suit your foot and are padded with a latex cushion liner to ensure toes are comfortable and not in contact with the cap. Oliver boots with **NATUREform** caps are licensed to the Australian and New Zealand Standard AS/NZS 2210.3.



### SOLING TECHNOLOGY


#### AT's All Terrain Dual Density PU/ Rubber Soling technology

The AT's Dual Density PU / Rubber Soling Technology combines a soft shock absorbing low density PU midsole with a high density hard wearing rubber outsole. The long wearing All Terrain rubber outsole is designed for superior grip and durability.

#### AT's Rubber soling technology offers:

- Heat resistant outsole to temperatures of 300° Celsius.
- Anti Static minimises the build up of electrostatic activity and provides protection against the risk of spark ignition hazards including flammable materials and gases.
- Resistant to mineral oils, acids, alkalis, animal fats and oils.
- Superior resistance to abrasion and cutting.
- Excellent slip resistance.

# Footwear - Protection



Try a pair of correctly fitted Oliver AT55 Boots for 30 days and, if you are not completely satisfied, return them to the specialist dealer you bought them from for exchange or refund. †

† Must produce dated receipt and guarantee tag

## Order Information



Call 08 9330 6355



Industrial Protective Products (WA)  
Supporting Better Products





# Footwear - Protection

## Oliver - 55 Series



**Oliver 55-232Z 150mm (6'') Zip Sided Boot**

**FW OL 55-232Z** - Sizes 4-14, 6+ - 10+

- Wheat Nubuck water resistant leather
- COMFORTcushion impact absorption system with PORON®
- AT's heavy duty dual density PU/Rubber sole, heat resistant to 300° Celsius and resists exposure to most acids and chemicals
- NANOLite footbed massages your feet as you walk, promoting greater blood flow to help reduce fatigue
- TECTuff toe bumper and heel protection
- Kevlar thread on critical wear seams for maximum abrasion and chemical resistance
- Zip Sided Boot
- Anti static sole
- NATUREform wide profile AS/NZS 2210.3 Type 1 toe cap protection



**Oliver 55-232 150mm (6'') Lace Up Boot**

**FW OL 55-232** - Sizes 4-14, 6+ - 10+

- Wheat Nubuck water resistant leather
- COMFORTcushion impact absorption system with PORON®
- AT's heavy duty dual density PU/Rubber sole, heat resistant to 300° Celsius and resists exposure to most acids and chemicals
- NANOLite footbed massages your feet as you walk, promoting greater blood flow to help reduce fatigue
- TECTuff toe bumper and heel protection
- Kevlar thread on critical wear seams for maximum abrasion and chemical resistance
- Lace locking device
- Anti static sole
- NATUREform wide profile AS/NZS 2210.3 Type 1 toe cap protection



**Oliver 55-239 150mm (6'') Lace Up Boot**

**FW OL 55-239** - Sizes 4-14, 6+ - 10+

- Claret water resistant full grain leather
- COMFORTcushion impact absorption system with PORON®
- AT's heavy duty dual density PU/Rubber sole, heat resistant to 300° Celsius and resists exposure to most acids and chemicals
- NANOLite footbed massages your feet as you walk, promoting greater blood flow to help reduce fatigue
- TECTuff toe bumper and heel protection
- Kevlar thread on critical wear seams for maximum abrasion and chemical resistance
- Lace locking device
- Anti static sole
- NATUREform wide profile AS/NZS 2210.3 Type 1 toe cap protection



**Oliver 55-285 High Leg Zip Sided Boot**

**FW OL 55-285** - Sizes 4-14, 6+ - 10+

- Wheat Nubuck water resistant leather
- COMFORTcushion impact absorption system with PORON®
- AT's heavy duty dual density PU/Rubber sole, heat resistant to 300° Celsius and resists exposure to most acids and chemicals
- NANOLite footbed massages your feet as you walk, promoting greater blood flow to help reduce fatigue
- TECTuff toe bumper and heel protection
- Kevlar thread on critical wear seams for maximum abrasion and chemical resistance
- Side zip closure for quick donning and exit
- Anti static sole
- NATUREform wide profile AS/NZS 2210.3 Type 1 toe cap protection



# Footwear - Protection

## Oliver - 55 Series



### Oliver 55-245Z 150mm (6'') Zip Sided Boot

**FW OL 55-245Z** - Sizes 4-14, 6+ - 10+

- Black water resistant leather
- COMFORTcushion impact absorption system with PORON®
- AT's heavy duty dual density PU/Rubber sole, heat resistant to 300° Celsius and resists exposure to most acids and chemicals
- NANOlite footbed massages your feet as you walk, promoting greater blood flow to help reduce fatigue
- TECTuff toe bumper and heel protection
- Kevlar thread on critical wear seams for maximum abrasion and chemical resistance
- Zip Sided Boot
- Anti static sole
- NATUREform wide profile AS/NZS 2210.3 Type 1 toe cap protection



### Oliver 55-245 150mm (6'') Lace Up Boot

**FW OL 55-245** - Sizes 4-14, 6+ - 10+

- Black water resistant leather
- COMFORTcushion impact absorption system with PORON®
- AT's heavy duty dual density PU/Rubber sole, heat resistant to 300° Celsius and resists exposure to most acids and chemicals
- NANOlite footbed massages your feet as you walk, promoting greater blood flow to help reduce fatigue
- TECTuff toe bumper and heel protection
- Kevlar thread on critical wear seams for maximum abrasion and chemical resistance
- Lace locking device
- Anti static sole
- NATUREform wide profile AS/NZS 2210.3 Type 1 toe cap protection



### Oliver 55-246 150mm (6'') Lace Up Boot

**FW OL 55-246** - Sizes 4-14, 6+ - 10+

- Black water resistant full grain leather
- COMFORTcushion impact absorption system with PORON®
- AT's heavy duty dual density PU/Rubber sole, heat resistant to 300° Celsius and resists exposure to most acids and chemicals
- NANOlite footbed massages your feet as you walk, promoting greater blood flow to help reduce fatigue
- PORON® XRD™ Flexible Internal Metatarsal Guard.
- Qflex Zero non-metallic penetration protection insole.
- TECTuff toe bumper and heel protection
- Kevlar thread on critical wear seams for maximum abrasion and chemical resistance
- Electrical Hazard (EH) Protection sole.
- NATUREform wide profile AS/NZS 2210.3 Type 1 toe cap protection
- Lace locking device

## Order Information



**Call 08 9330 6355**



**Industrial Protective Products (WA)**  
Supporting Better Products



# Footwear - Protection

## Oliver - 45 Series



**Oliver 45-645C 150mm (6") Lace Up Boot**

**FW OL 45-645C** - Sizes 5-13, 6+ - 10+

- Black water resistant full grain leather
- COMFORTcushion impact absorption system with PORON®
- AT's heavy duty dual density TPU sole sole, heat resistant to 130° Celsius and resists exposure to most acids and chemicals
- Fully non-metallic.
- AS/NZS 2210.3 Wide profile NATUREform Type 1 Hi Impact Composite toe cap protection
- Fully lined with Padded comfort collar and tongue.
- Electrical Hazard (EH) Protection sole.



**Oliver 45-632C 150mm (6") Lace Up Boot**

**FW OL 65-632C** - Sizes 5-13, 6+ - 10+

- Wheat Nubuck water resistant full grain leather
- COMFORTcushion impact absorption system with PORON®
- AT's heavy duty dual density TPU sole sole, heat resistant to 130° Celsius and resists exposure to most acids and chemicals
- Fully non-metallic
- AS/NZS 2210.3 Wide profile NATUREform Type 1 Hi Impact Composite toe cap protection
- Fully lined with Padded comfort collar and tongue.
- Electrical Hazard (EH) Protection sole.



**Oliver 55-227 Elastic Side Boot**

**FW OL 55-227** - Sizes 4-14, 6+ - 10+

- Black water resistant full grain leather
- COMFORTcushion impact absorption system with PORON®
- AT's heavy duty dual density PU/Rubber sole, heat resistant to 300° Celsius and resists exposure to most acids and chemicals
- NANOLite footbed massages your feet as you walk, promoting greater blood flow to help reduce fatigue
- TECTuff toe bumper and heel protection
- Kevlar thread on critical wear seams for maximum abrasion and chemical resistance
- Anti static sole
- NATUREform wide profile AS/NZS 2210.3 Type 1 toe cap protection



**Oliver 33-632 Ankle Height Lace Up Boot**

**FW OL 33-362** - Sizes 4-13, 6+ - 10+

- Sand nubuck water resistant leather
- COMFORTcushion impact absorption system with PORON®
- GRIPthane II dual density polyurethane (PU) sole, heat resistant to 130° Celsius and resists exposure to most acids and chemicals
- Lightweight footwear designed for all day comfort
- Padded comfort collar
- Wide Profile AS/NZS 2210.3 Type 1 toe cap protection
- Electrical hazard (EH) Protection sole.

# Footwear - Protection

## Oliver - 45 Series



### Oliver 44-535 Lace Up Boot

**FW OL 44-535** - Sizes 5-14, 6+ - 10+

- Nubuck leather and fabric upper with Blue/Grey trim
- COMFORTcushion impact absorption system with PORON®
- Lightweight dual density Thermo Plastic Urethane (TPU) sole, heat resistant to 130° Celsius and resists exposure to most acids and chemicals
- NANOLite footbed massages your feet as you walk, promoting greater blood flow to help reduce fatigue
- Fully non-metallic
- Anti static sole
- Fully lined with padded comfort collar and tongue
- NATUREform wide profile Non-Metallic Composite AS/NZS 2210.3 Type 1 toe cap protection



### Oliver 44-535 Lace Up Boot

**FW OL 44-535** - Sizes 5-14, 6+ - 10+

- Nubuck leather and fabric upper with Blue/Grey trim
- COMFORTcushion impact absorption system with PORON®
- Lightweight dual density Thermo Plastic Urethane (TPU) sole, heat resistant to 130° Celsius and resists exposure to most acids and chemicals
- NANOLite footbed massages your feet as you walk, promoting greater blood flow to help reduce fatigue
- Fully non-metallic
- Anti static sole
- Fully lined with padded comfort collar and tongue
- NATUREform wide profile Non-Metallic Composite AS/NZS 2210.3 Type 1 toe cap protection



### Oliver 28-275 Lace Up Derby Casual Shoe

**FW OL 28-275** - Sizes 5-12, 6+ - 10+

- Black water resistant full grain leather
- PORON Heel Impact Absorption System
- Lightweight dual density polyurethane sole
- NATUREform Wide Profile AS/NZS 2210.3 Type 1 toe cap protection
- Anti-static
- Fully Lined



### Oliver Ladies 48-430 Slip on Shoe

**FW OL 48-430** - Sizes Metric 35-42

- Black water resistant full grain leather
- COMFORTcushion impact absorption system with PORON®
- Lightweight dual density Thermo Plastic Urethane (TPU) sole, heat resistant to 130° Celsius and resists exposure to most acids and chemicals
- Fully lined with padded comfort collar
- AS/NZS 2210.3 Wide profile NATUREform Type 1 steel toe cap protection
- Electrical Hazard (EH) Protection sole.



### Oliver Ladies 48-445 Ankle Height Lace Up Boot

**FW OL 48-445** - Sizes Metric 35-42

- Black water resistant full grain leather
- COMFORTcushion impact absorption system with PORON®
- Lightweight dual density Thermo Plastic Urethane (TPU) sole, heat resistant to 130° Celsius and resists exposure to most acids and chemicals
- Fully lined with padded comfort collar
- AS/NZS 2210.3 Wide profile NATUREform Type 1 steel toe cap protection
- Electrical Hazard (EH) Protection sole.

## Order Information



**Call 08 9330 6355**



Industrial Protective Products (WA)  
Supporting Better Products



# Footwear - Protection

## Oliver - 65 Series



### Oliver 65-393 Pull on Riggers Boot

**FW OL 65-393** - Sizes 5-14, 6+ - 10+

- Tan caustic and water resistant leather
- COMFORTcushion impact absorption system with PORON®
- AT's heavy duty dual density PU/Rubber sole, heat resistant to 300° Celsius and resists exposure to most acids and chemicals
- NANOLite footbed massages your feet as you walk, promoting greater blood flow to help reduce fatigue
- PORON XRD Metatarsal Guard - Extreme Impact Protection
- Integrated TPU SAFETYcell for maximum protection and durability
- Kevlar thread on critical wear seams for maximum abrasion and chemical resistance
- Anti static sole
- AS/NZS 2210.3 Wide profile NATUREform Type 1 toe cap protection



### Oliver 65-691 350mm (25") Lace Up Mining Boot

**FW OL 65-691** - Sizes 5-14, 6+ - 10+

- Black water resistant full grain leather
- COMFORTcushion impact absorption system with PORON®
- AT's heavy duty dual density PU/Rubber sole, heat resistant to 300° Celsius and resists exposure to most acids and chemicals
- NANOLite footbed massages your feet as you walk, promoting greater blood flow to help reduce fatigue
- Integrated TPU SAFETYcell for maximum protection and durability
- Heavy Duty Nomex heat and flame resistant stitching
- PORON® XRD™ Flexible Internal Metatarsal Guard.
- Fully lined with SYMPATEX water proof liner and membrane
- Anti static sole
- Quick release lacing system
- Qflex Zero non-metallic penetration protection insole.
- Lace in zipper attachment option.
- AS/NZS 2210.3 Wide profile NATUREform Type 1 toe cap protection



### Oliver 65-390 150mm (6") Lace Up Caustic Boot

**FW OL 65-390** - Sizes 5-14, 6+ - 10+

- Tan caustic and water resistant leather
- COMFORTcushion impact absorption system with PORON®
- AT's heavy duty dual density PU/Rubber sole, heat resistant to 300° Celsius and resists exposure to most acids and chemicals
- NANOLite footbed massages your feet as you walk, promoting greater blood flow to help reduce fatigue
- Integrated TPU SAFETYcell for maximum protection and durability
- Kevlar thread on critical wear seams for maximum abrasion and chemical resistance
- Anti static sole
- Lace locking device
- AS/NZS 2210.3 Wide profile NATUREform Type 1 toe cap protection

# Footwear - Protection

## Oliver - Speciality



**Oliver 66-395 230MM (9'') Lace up Structural Firefighter Boot**

**FW OL 66-395** - sizes 3-15, 3+ - 14 +

- High quality black water proof structural firefighter's lace up boot with heavy duty Dual Density Nitrile Rubber Soling System.
- A soft midsole which cushions the foot on impact and a high density hardwearing outsole with Qflex midsole penetration protection.
- TECTuff toe bumper protection.
- Outsole heat resistant to 300° Celsius surface contact with Australian '3M' Flame resistant high visibility reflective tape.
- Sole resistant to mineral and organic oils and acids.
- Fully lined with SYMPATEX water proof liner & membrane with heavy duty red Nomex stitching and flame proof laces.
- PORON® XRD™ - Extreme ankle protection.
- Lace in quick release zipper attachment for fast donning and exit.
- Fully Lined.

Oliver's Structural firefighter boots are manufactured to meet Australian/ New Zealand Standards AS/NZS 4821:2006 Firefighters Footwear type 2. Type 2, category F2I, Structural firefighter boots also meet all basic requirements for electrical insulating properties of AS/NZS 4821:2006.



**Oliver 66-360 180MM (7'') WILDLAND FIREFIGHTER BOOT**

**FW OL 36-360** - sizes 3-15, 3+ - 14 +

- High quality black water resistant wildland firefighters boot with a heavy duty Dual Density Nitrile Rubber Soling System
- Water resistant and flame retardant leather with Australian '3M' Flame resistant high visibility reflective tape.
- Heavy duty red Nomex stitching and flame proof laces.
- High density hardwearing outsole resistant to 300° Celsius surface contact and to mineral and organic oils and acids.
- Oliver lightweight Hi-Impact wide profile non metallic type1 toe cap, built to suit your foot and padded with a latex cushion liner to ensure toes are comfortable and not in contact with the cap with TECTuff toe bumper protection.
- Lace in quick release zipper attachment for fast donning and exit.
- Optional Front lace in zipper attachment.
- Fully Lined.



**Oliver 25-299 Smelter Boot**

**FW OL 25-299** - Sizes 5-14, 6+ - 10+

- Black water resistant and flame retardant leather
- COMFORTcushion impact absorption system with PORON®
- Heavy duty dual density nitrile Rubber sole, heat resistant to 300° Celsius and resists exposure to most acids and chemicals
- NANOLite footbed massages your feet as you walk, promoting greater blood flow to help reduce fatigue
- 3 rows of Heavy Duty Kevlar stitching
- Metatarsal guard protection.
- TECTuff toe bumper protection.
- Electrical Hazard (EH) Protection Sole..
- AS/NZS 2210.3 Wide profile NATUREform Type 1 Alloy toe cap protection
- Fully lined with padded comfort collar.
- Velcro closure system.

### Order Information



**Call 08 9330 6355**



**Industrial Protective Products (WA)**  
Supporting Better Products





# Footwear - Protection

## Mack - Safety Footwear

### Mack boots™

IT'S TIME TO STAND AGAINST THE ELEMENTS, WHATEVER THE DAY THROWS AT YOU, IT'S TIME TO KICK BACK HARD. NO MATTER HOW HARSH THE ENVIRONMENT OR HOW ROUGH THE ROAD AHEAD, NOTHING'S GOING TO STAND IN YOUR WAY ANY MORE. DURABLE, RELIABLE AND READY FOR WHEN THINGS GET RUGGED, OUR BOOTS ARE BUILT TO TACKLE ANYTHING. JUST QUIETLY, THEY'RE BLOODY COMFORTABLE TOO. SO WHEN THE GOING GETS TOUGH, Show THE EARTH WHO'S BOSS And IF IT EVER ARGUES, LET YOUR MACKS DO THE TALKING



#### MACK SOA HIGH VISIBILITY BOOTS

**FW MB MKSOA**- Lime, Silver & Orange Reflective Boot 150mm derby style lace-up ankle boot with padded collar and tongue.

Sizes 5-13 (includes half sizes)

Special Features Composite Toecap, Reflective Boot

- Anti-Static.
- Sole - Antistatic Thermoplastic Urethane (TPU) outsole for superior wear properties.
- Width Fitting - EEE.
- Standards - Australian Standards AS/NZS 2210. 3 classification - 1 A E WRU
- Scuff Cap



#### MACK McGRATH PINK BOOTS

**FW MB MKMcGRATH**- Sizes 3 to 13- Colour - High Visibility Reflective Pink

145mm derby style lace-up ankle boot with padded collar and tongue and Mako toe guard.

- Material - Cowhide water-resistant fullgrain leather (or Nubuck), Outlast® linings and stitched in nylon thread. Non-Corrosive Lacing. Abrasion Resistant M toeguard.

- Toe Cap - 200J Safety Metal-Free

- Standards - Australian Standards AS/NZS 2210. 3 classification: 1 A E WRU



#### MACK BUDDY BOOTS

**FW MB MKBUDDY** - Sizes 3 to 14 - Colour Black and Honey

150mm derby style lace-up zip sided ankle boot with padded collar and tongue.

- Toe Cap - 200J Safety Steel.
- Material - Cowhide water-resistant fullgrain waxy leather, S
- Sole - Thermoplastic Urethane (TPU) outsole for superior wear properties.
- Standards - Australian Standards AS/NZS 2210.



#### MACK RIGGER PULL ON BOOT

**FW MB MKRIGGER**- Sizes 3 to 14 - Colour - Brown

- Toe Cap - 200J Airport Friendly Toecap.

280mm (11") rigger-style boot with Cambrelle® lining offers comfort, durability and moisture management. Steel toe cap complies with EN - ISO 20345, AS / NZS2210 and ASTM F2413 - 11 standards. BMX dual density nitrile rub

- Standards - Australian Standards AS/NZS 2210. 3 classification: 1 A E WRU



#### MACK STIRLING BOOT

**FW MB MKSTIRLING** - Sizes 3 to 14 - Colour - Black

178mm (7") leather lace up boot with padded ankle, collar and tongue and Cambrelle® lining offers comfort, durability and moisture management. Steel toe cap complies with EN - ISO 20345, AS / NZS2210 and ASTM F2413 - 11 standards. BMX dual density nitrile rubber outsole and phylon midsole for cushioning and shock absorption. Full length, extra thick shock absorbing polyurethane footbed with arch and heel support.

- Toe Cap - Steel

- Standards - Australian Standards AS/NZS 2210.



# Footwear - Protection

## Mack - Safety Footwear



### MACK BLAST Boots

**FW MB MKBLAST** - Sizes 3 to 14 - Colour - Black - Wheat

178mm (7") lace/zip up boot. Nubuck full grain leather with a padded collar, ankle and tongue plus a soft, non-abrasive hydrophobic knitted polyester lining that wicks away the moisture enabling the skin to remain cool and dry. Steel toe cap complies with EN - ISO 20345, AS / NZS2210 and ASTM F2413 - 11 standards. Full length, extra thick shock absorbing polyurethane (PU) footbed with arch and heel support. Polyurethane midsole and bump cap and a thermoplastic urethane (TPU) outsole that is highly resistant to hydrolysis, microbial attack, oils, acids and organic fats. Now also available in black.

- Steel Toe Cap - Scuff Cap - TOPU Outsole 150
- Full Length Easy Access Zip
- Standards - Australian Standards AS/ NZS 2210. 3 classification: 1 A E WRU



### MACK CHARGE Boots

**FW MB MKCHARGE** Sizes 3 to 14 - Colour Black or Honeyt

178mm (7") 7 eyelet lace up boot. Cowhide full grain leather with a soft, non-abrasive hydrophobic knitted polyester lining that wicks away moisture enabling the skin to remain cool and dry. Steel toe cap complies with EN - ISO 20345, AS / NZS2210 and ASTM F2413 - 11 standards. Full length, extra thick shock absorbing polyurethane (PU) footbed with arch and heel support. Polyurethane midsole and bump cap and thermoplastic urethane (TPU) outsole that is highly resistant to hydrolysis, microbial attack, oils, acids and organic fats.

- Toe Cap - 200J Safety Steel.
- Sole - Antistatic Thermoplastic Urethane (TPU) outsole for superior wear properties.
- Standards - Australian Standards AS/ NZS 2210.



### MACK RANGER BOOTS

**FW MB MKRANGER** - Honey Color

Sizes 5-13

Special Features Waterproof Leather Boot

145mm (4") leather lace up boot with padded ankle, collar and tongue. AquaDry-Tex® membrane keeps feet dry and is also breathable. Steel toe cap complies with EN - ISO 20345, AS / NZS2210 and ASTM F2413 - 11 standards. BMX dual density nitrile rubber outsole and phylon midsole for cushioning and shock absorption.



### MACK BULLDOG BOOT

**FW MB MKBULLDOG** - Sizes 3 to 14 - Colour Black Honey or Rocky Brown

165mm (6") leather lace up boot with Cambrelle® lining offers comfort, durability and moisture management. Steel toe cap complies with EN - ISO 20345, AS / NZS2210 and ASTM F2413 - 11 standards. Full length, extra thick shock absorbing polyurethane footbed with arch and heel support. Lightweight phylon midsole for greater cushioning and shock absorption.

## Order Information



Call 08 9330 6355



Industrial Protective Products (WA)  
Supporting Better Products



# Footwear - Protection

## Terra - Safety Footwear

### TERRA FOOTWEAR

These boots are made to work as hard as you do. Designed for comfort and built for safety, each style in this range is for general purpose use. In fact, for most heavy industrial or construction environments, one of these boots has it covered. To discover which option is available for each boot please read the individual product description



#### TERRA BARRICADE CHEMICAL/WATERPROOF BOOT

**FW TER 805415 Terra Barricade Boot Waterproof** Nitrile Outsole

150mm derby style lace-up ankle boot with padded collar and tongue.

- Toe Cap - Composite Toe
- Material - High wall sides for extra protection Chemical Resistant Waterproof Leather Terr Patetenetd linings and stitched in Kevlar thread. Non-Corrosive Lacing.
- Sole - Directly moulded Polyurethane midsole for greater shock absorption. Antistatic Nitrile Rubber outsole for superior wear properties. L-Protection Penetration resistant Footbed and Terra Flex Midsole.
- Width Fitting - EEE.
- Standards - Australian Standards AS/NZS 2210. 3 classification - 1 A E WRU
- Insole - Heavy-duty, flexible anti-bacterial non-woven insole.

**Also Available**



#### TERRA REVENGE

**FW TER 826435** - Sizes 5-13- Colour Black

145mm Ankle-height padded collar boot.

- Toe Cap - Composite Toe .
- Material - Cowhide waterproof fullgrain waxy leather and stitched in nylon thread.
- Sole - Directly moulded Polyurethane midsole for greater shock absorption. Antistatic Thermoplastic Urethane (TPU) outsole for superior wear properties.
- Width Fitting - Generous and comfortable.
- Standards - Australian Standards AS/NZS 2210. 3 classification - 1 A E WRU



#### TERRA TRUSS

**FW TER 915255** - Black,Wheat Nubuck 150mm derby style lace-up ankle boot with padded collar and tongue.

Sizes 5-13.5 (includes half sizes)

Special FeaturesComposite Toe Cap, 3/4 bellows tongue.

- Materials Premium water resistant fullgrain waxy (or Nubuck) leather, Patentetd linings and stitched with nylon thread. PU Midsole, Anti-Static.
- Sole - Directly moulded Polyurethane midsole for greater shock absorption. Antistatic Thermoplastic Urethane (TPU) outsole for superior wear properties.
  - Width Fitting - EEE.
  - Standards - Australian Standards AS/NZS 2210. 3 classification - 1 A E WRU
  - Insole - Heavy-duty, flexible anti-bacterial non-woven insole.

#### TERRA ZEPHYR

**FW TER 805233** - Sizes 3 to 14 - Colour - Black Brown and Wheat

145mm derby style lace-up ankle boot with padded collar and tongue and toe guard.

- Material - Cowhide water-resistant fullgrain leather (or Nubuck), Outlast® linings and stitched in nylon thread. Non-Corrosive Lacing. Abrasion Resistant toeguard.
- Toe Cap - Composite Toe
- Standards - Australian Standards AS/NZS 2210. 3 classification: 1 A E WRU
- Temperature Regulating Technology - Developed for NASA, the patented Outlast lining material in these boots is cutting edge technology. Helping you stay warm when its cold, drawing heat away and helping cool the skin when its hot it adapts to your needs and helps your feet stay healthy.

# Footwear - Protection

# Footwear - Accessories



## Steel Blue Boot Accessories

We recommend 100% genuine Steel Blue Parts & Accessories. Built for work and designed for comfort, the 100% comfort of Steel Blue boots is legendary. Check out this exclusive range of 100% genuine parts and accessories, designed specifically to complement your Steel Blue work boots. Each product helps to enhance your boot's life, looks and usability.

### Zip Attachments

Offering protection for the laces, and at the same time allowing you to zip-in and zip-out of your boots at a moment's notice, these Zip Attachments are a clever after-market addition for the Steel Blue Portland.

#### UMB Zip Attachment Black

**FW SB A-000103** - Size 3-6

**FW SB A-000104** - Size 7-11

**FW SB A-000105** - Size 12-14

#### Zip Attachment Wheat

**FW SB A-000099** - Size 4-6

**FW SB A-000098** - Size 7-10

**FW SB A-000097** - Size 11-13

#### Zip Attachment Black

**FW SB A-000087** - Size 4-6

**FW SB A-000088** - Size 7-10

**FW SB A-000089** - Size 11-13



### Shoe Laces

Made from a super-tough polyester/ cordura material, Steel Blue Laces exceed industry standards with their tensile strength and anti-abrasive qualities. Choose from a variety of styles and diameters to suit your specific boot and your particular work environment.

#### Nylon Laces Black

**FW SB A-000062** - 75cm to FW SB A-000067 - 260cm Black/Brown

**FW SB A-000059** - 110cm to FW SB A-000061 - 160cm Wheat/Brown

**FW SB A-000070** - 140cm to FW SB A-000071 - 160cm Purple

**FW SB A-000068** - 100cm to FW SB A-000069 - 140cm

#### Leather Laces

**FW SB A-000057** Available in 140cm length only.

#### Executive Laces

**FW SB A-000115** - 90cm to FW SB A-000116 - 100cm



### Shock Absorbing Innersole

Men's

**FW SB A-000015** - Size 3 to A FW SB - 000028 - Size 16

Women's

**FW SB A-000043** - Size 3 to FW SB A-000056 - Size 16

The Steel Blue PU-Rebound Footbed has been specifically designed to cushion, cradle and support the entire foot from toe to heel. Made from high-quality polyurethane, they will not flatten-out or compress with prolonged wear.

Ø Flattens out or compress with prolonged wear, Anti-bacterial & anti-fungal, Reduces foot fatigue

### Bamboo Socks

**FW SB A-000074** - Size 4-6

**FW SB A-000076** - Size 6-10

**FW SB A-000080** - Size 11-14

Made from ultra-fine bamboo fabric, these socks are naturally anti-bacterial and eliminate foot odour. The eco-friendly bamboo material offers anti-static properties, blister protection and all day comfort.

### Boot Polish

**FW SB A-000072** - Black

**FW SB A-000073** - Brown

**FW SB A-000075** - Purple

To impart shine and colour, our Renovating Polish is perfect. Simply choose the correct shade to match the colour of your boots.

### Dubbin

**FW SB A-000014**

Helps repel water, chemicals and oil from the premium NZ leather and increase your boots' longevity.

## Order Information



Call 08 9330 6355



Industrial Protective Products (WA)  
Supporting Better Products



# Footwear - Protection

## Footwear - Accessories



### Oliver Zips

**FW OL ZIP 360** - Zip for 66-360 Wildland Firefighters boot

**FW OL ZIP 691** - Zip for 65-691 Mining Boot

**FW OL ZIP 695** - Zip for 66-395 Structural Firefighters boot

Frontal opening zips to replace laces on specific boots listed below.



### PORON@XRD™

**FW BLU PORON** - Sizes 5 -13"

PORON@XRD™ is the world's most advanced microcellular shock absorbing material underfoot. PORON@XRD™ absorbs up to 90% of the energy from the impact of a step, surpassing performance of competitive impact absorbing materials. Incorporated in the sole construction, it is designed to reduce workplace fatigue and orthopaedic problems in the lower back, legs and feet.

It is infused with Microban antimicrobial protection which protects the material from the growth of bacteria, mould or mildew which can cause stains, odours and product deterioration.

PORON@XRD™ as incorporated in Blundstone SPS MAX provides a new level of underfoot comfort for the wearer.



### Oliver Innersoles

**FW OL INSOL-N** - Sizes 4 to 14

- NANOLite impact absorption system massages your feet as you walk promoting greater blood flow to help reduce fatigue
- PORON@ heel and ball of foot provides exceptional underfoot comfort
- Resistant to odours, fungus and bacteria
- Available in individual foot sizes
- Removable and washable



### THMW 6 -RD 3M™ Thinsulate™ Thermal Insoles

**FW 3M THMW** - Sizes US 6, 8, 10, 12 & 14

Multi-layer performance materials provide foot-forming comfort, moisture wicking for dryness, antimicrobial technology to reduce odours and 3M™ Thinsulate™ Insulation for exceptional warmth.

# Footwear - Protection

## Footwear- PVC Gumboots



### Bata Utility PVC Gumboot Safety Toe and Midsole

**FW BA 892 69092** - Sizes 5-12

Oil and acid resistant sole unit with channelling for improved liquid dispersal and slip resistance.

Durable PVC sole unit designed for maximum flexibility.

Fully lined for increased wearer comfort.

Reinforced heel, ankle & shin areas.

Kick of heel lugs.

Steel Safety Toe cap 200 Joules.

Stainless Steel penetration resistant midsole Chemical resistant PVC



### Bata Jobmaster 2 PVC Gumboot White Safety

**FW BA 892 10095** - Sizes 4 - 13

- Oil and acid resistant sole unit with channelling for improved liquid dispersal and slip resistance.

- Fully lined for increased wearer comfort. Reinforced heel, ankle & shin areas.

- Steel Safety Toe Cap 200 Joules.



### Bata Jobmaster 3 PVC Gumboot Safety Toe

**FW BA 892 62290** - Sizes 4-14

- Oil and acid resistant sole unit with channelling for improved

- Durable PVC sole unit designed for maximum flexibility.

- Fully lined for increased wearer comfort.

- Reinforced heel, ankle & shin areas.

- Kick of heel lugs.

- Steel Safety Toe cap 200 Joules.

- Comfort Insole



### Bata Utility PVC Gumboot Safety

**FW BA 892 65090** - Sizes 5-12

- Oil and acid resistant sole unit with channelling for improved liquid dispersal and slip resistance.

- Durable PVC sole unit designed for maximum flexibility.

- Fully lined for increased wearer comfort.

- Reinforced heel, ankle & shin areas.

- Kick of heel lugs.

- Steel Safety Toe cap 200 Joules.

- Chemical resistant PVC.

### Order Information



**Call 08 9330 6355**



### Bata Utility PVC Gumboot Non Safety

**FW BA 892 66080** - Sizes 5-12

- Oil and acid resistant sole unit with channelling for improved liquid dispersal and slip resistance.

- Fully lined for increased wearer comfort.

- Reinforced heel, ankle & shin areas.

- Kick of heel lugs.

- Chemical resistant PVC.

- Non Safety.



**Industrial Protective Products (WA)**  
Supporting Better Products





# Footwear - Protection

## Footwear- PVC Gumboots



### Bata Jobmaster 3 PVC Gumboot Safety Toe and Midsole

**FW BA 892 75192** - Sizes 4-14"

- Reflective properties for underground workers
- Stainless steel penetration resistant midsole
- Oil and acid resistant sole unit with channelling for improved
- Excellent liquid dispersal and slip resistance.
- Durable PVC sole unit designed for maximum flexibility.
- Fully lined for increased wearer comfort.
- Reinforced heel, ankle & shin areas.
- Kick of heel lugs.
- Comfort Insole
- Steel Safety Toe cap 200 Joules



### Bata Jobmaster 2 PVC Gumboot Green Safety

**FW BA 892 73095** - Sizes 4 - 13

- Oil and acid resistant sole unit with channelling for improved liquid dispersal and slip resistance.
- Durable PVC sole unit designed for maximum flexibility.
- Fully lined for increased wearer comfort.
- Reinforced heel, ankle & shin areas.
- Steel Safety Toe Cap 200 Joules.
- Kick of heel lugs.



### Bata Jobmaster 2 PVC Gumboot Green Non Safety

**FW BA 892 73180** - Sizes 4-13

- Oil and acid resistant sole unit with channelling for improved liquid dispersal and slip resistance.
- Durable PVC sole unit designed for maximum flexibility.
- Fully lined for increased wearer comfort.
- Reinforced heel, ankle & shin areas.
- Non Safety.
- Kick of heel lugs.



### Bata Jobmaster 2 PVC Gumboot White Non Safety

**FW BA 892 13180** - Sizes 4 - 13

- Oil and acid resistant sole unit with channelling for improved liquid dispersal and slip resistance.
- Durable PVC sole unit designed for maximum flexibility.
- Fully lined for increased wearer comfort.Reinforced heel, ankle & shin areas.
- Kick of heel lugs.
- Non Safety.



### Bata Jobmaster 3 PVC Gumboot Non Safety

**FW BA 892 67280** - Size 4-14

- Oil and acid resistant sole unit with channelling for improved liquid dispersal and slip resistance.
- Fully lined for increased wearer comfort.
- Reinforced heel, ankle & shin areas.
- Kick of heel lugs.
- Comfort Insole.
- Non Safety.



# Footwear - Protection

## Footwear- PVC Gumboots



### 014 - Blundstone Safety Gumboot

**FW BLU 014** - Sizes 4 - 13

- Grey waterproof safety gumboot with penetration resistant midsole
- Manufactured with a blend of nitrile rubber and PVC formulated for maximum resistance to abrasion
- Blundstone's exclusive 'Comfort Arch' heel shock minimiser
- Widest fitting steel toe cap available
- Anti-clogging tread pattern with deep tread base for exceptional stability
- Removable xtreme comfort EVA footbed with PORON®XRD™ heel and forepart inserts
- Reinforced ankle, heel and instep
- Rear kick-off lip
- Plush knitted lining
- Standard: AS/NZS 2210.3.2009; ASTM F2413-05



### 018 - Blundstone Safety Gumboot

**FW BLU 018** - Sizes 4 - 13

- Grey waterproof metatarsal guard safety gumboot with penetration resistant midsole
- PVC GEL metatarsal guard incorporating PORON®XRD™ for added protection and flexibility
- Manufactured with a blend of nitrile rubber and PVC formulated for maximum resistance to abrasion
- Blundstone's exclusive 'Comfort Arch' heel shock minimiser
- Widest fitting steel toe cap available
- Anti-clogging tread pattern with deep tread base for exceptional stability
- Removable xtreme comfort EVA footbed with PORON®XRD™ heel and forepart inserts
- Reinforced ankle, heel and instep
- Rear kick-off lip
- Plush knitted lining
- Standard: AS/NZS 2210.3.2009; ASTM F2413-05



### Oliver 22-205 Safety Gumboot

**FW OL 22-205** - Sizes 5 - 13

- Green waterproof PVC upper
- Heavy duty PVC/Nitrile sole, heat resistant to 130°C
- Steelflex steel midsole penetration protection
- METprotect metatarsal protection
- NANOLite footbed massages your feet as you walk, promoting greater blood flow to help reduce fatigue
- Kick off spur for easy removal
- NATUREform wide profile AS/NZS 2210.3 Type 1 toe cap protection
- Electrical Hazard (EH) Resistant

### Order Information



**Call 08 9330 6355**



**Industrial Protective Products (WA)**  
Supporting Better Products



# Footwear - Protection

## Footwear- PVC Gumboots



### NEW MACK EVA DELUGE BOOT

#### FW MAC MKDELUGE -

• All gumboots aren't created equal - so when you need the toughest, lightest and the most comfortable gumboots available, Mack Boots™ has the range for you. All our new designs come standard with metatarsal protection, reinforced ankle, heel and in-step protection while penetration resistant midsoles and steel safety toe caps are optional. Mack Gumboots built Bulldog Tough®.

• Eva gumboot with rubber outsole

• Lightweight

• Widest fitting steel toe cap available

• Gel comfort sock

• Penetration resistant midsole

• Reinforced ankle, heel and instep

• Metatarsal protection

• Engineer designed gumboot for all work locations. Injected EVA (running shoe materials) makes this boot, extremely lightweight and flexible. The steel cap boot complies with EN - ISO 20345, AS / NZS2210 and ASTM F2413 - 11 standards. The design encompasses a metatarsal guard, re-inforced ankle, heel and instep. The boot has a rear kick off and ladder heel. The rubber outsole has heat resistant characteristics and a non-slip self cleaning cleat tread pattern. The outsole is oil and chemical resistant, and has a penetration proof midsole.

• Standard: AS/NZS 2210.3.2009; ASTM F2413-05



### Harvik Specialised Mining Boots

#### FP KT 9905 - Sizes 4 to 15

Kingtread Meta Miner 15 inch Mining Safety Boots are tested and proven on the job to meet and exceed the highest established mining boots safety standards.

• Rubber - handcrafted premium quality, Lace up eyelet closure system, Steel toe cap, Steel mid sole, Metatarsal protection, Ankle protection, Heel Tendon protection

Electric Shock Resistant, Heavy Canvas Lining, 100% Waterproof

• AS/NZS 2100.3:2000 P Approved



### Bib And Brace Full Length Overall Steel Cap

#### FW AS FLBBST

Chest high waders that are 100 per cent waterproof and have a bib front with an invisible pocket and drawstring waist tie, to allow air to flow inside the wader to help prevent sweating with easy to operate quick release clips for optimized safety. Complete with Blundstone steel cap and midsole PVC gumboots.

Overall size S to XL. Boot sizes on waders range from sizes 6 to 13. Please request Boot size and Overall size on ordering.

# Footwear - Protection

# Footwear - Accessories



## Hexarmor® chaps 9911/9915/9919

**PC HEX 9911** - Single Layer chaps

**PC HEX 9915** - Double Layer chaps

**PC HEX 9919** - Triple Layer chaps

Armor Up! No more snags, punctures, abrasions, or cuts to your legs. HexArmor® body protection exceeds the industry's highest testing standards - ISEA Level 5, giving you the protection you need most, where you need it. Our industrial aprons and body protection outperform, outlast, and fit more comfortably than the competition.

Competitive fabrics don't always cut it where protection is needed most. HexArmor® industrial aprons and body protection with SuperFabric® brand materials provide the highest levels of cut and puncture protection on the market, increasing safety and reducing PPE overall costs.

• SuperFabric® brand material provides ISEA

Level 5 cut resistance and maintains the highest level of protection available in the industry

- Front-to-back industrial puncture protection from wires, metal, wood, and glass
- Reflective strip for visibility in low light situations
- Additional layer options available upon request
- Launderable



## HexArmor Penetration Resistant Gators

**PC HEX 9921** - Size 7-13

- SuperFabric® brand material provides ISEA Level 5 cut resistance and maintains the highest level of protection available in the industry
- Front-to-back industrial puncture protection from wires, metal, wood, and glass
- Reflective strip for visibility in low light situations
- Additional layer options available upon request
- Launderable

Armor Up! No more snags, punctures, abrasions, or cuts to your legs. HexArmor® body protection exceeds the industry's highest testing standards - ISEA Level 5, giving you the protection you need most, where you need it. Our industrial aprons and body protection outperform, outlast, and fit more comfortably than the competition.

• Steelflex steel midsole penetration protection



## Long Leather Welding Spats

**PC IP LSP-L** - Long

**PI IP LSS-8** - Short

- Two Sizes Ankle and Shin Length
- Touch tape fastening for quick release
- Elastic top for extra protection
- Minimal exposed seams on work areas
- Full boot coverage



## Short Leather Spats

**PC GUA LS630077** - 250mm

**PI GUA LS630078** - 435mm

Premium quality chrome leather

- Elastic top for extra protection

## Order Information



Call 08 9330 6355



Industrial Protective Products (WA)  
Supporting Better Products



**A:** 39 Norma Road, Myaree  
Western Australia 6154

**PO Box:** 4175,  
Myaree Business Centre,  
Western Australia 6960

**E:** [sales@ippwa.com.au](mailto:sales@ippwa.com.au)

**W:** [www.ippwa.com.au](http://www.ippwa.com.au)

**T:** +61 8 9330 6355

**F:** +61 8 9317 1293



**Industrial Protective Products (WA)**  
Supporting Better Products